

**ACON MD \ DE  
JULY 1995 DAILY PRECIPITATION**

| STATION                           | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9 | 10   | 11   | 12   | 13 | 14 | 15 | 16   | 17   | 18   | 19 | 20 | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | TOTAL       | OBS TIME    |             |
|-----------------------------------|------|------|------|------|------|------|------|------|---|------|------|------|----|----|----|------|------|------|----|----|------|------|------|------|------|------|------|------|------|------|------|-------------|-------------|-------------|
| BWI<br>NWS                        | 1.65 |      |      | 0.33 | T    | 0.20 | 0.04 |      |   | 0.10 | 0.03 |      |    |    |    |      | T    |      |    |    | T    | 0.70 |      | 0.54 |      |      | 0.05 | 0.01 |      |      |      | 3.65<br>0.0 | 2400<br>EST |             |
| ODENTON<br>BRUMBACK               | 1.03 |      |      | 1.10 | 0.01 | 0.46 | 0.02 |      |   |      | 0.29 | T    |    |    |    |      |      | 0.28 |    |    |      | 0.04 |      | 0.02 |      |      |      | 0.07 | 0.03 |      |      | 3.35<br>0.0 | 2000<br>EDT |             |
| MILLERSVILLE 1SE<br>HANSON        | 1.97 | 0.01 |      | M    | M    | 0.16 | 0.01 |      |   | 0.09 | 0.13 | 0.02 |    |    |    |      | 0.34 |      |    |    |      | 0.10 | 0.01 | 0.05 |      |      | 0.09 | 0.01 |      |      |      | 2.99<br>0.0 | 2400<br>EDT |             |
| LOTHIAN<br>JUG BAY                |      | M    | 0.07 |      | 1.46 | T    | 0.25 | 1.23 |   | 0.20 | 0.19 | T    |    |    |    |      |      | 0.11 |    |    |      | 0.94 |      | M    | 0.11 |      | T    | 0.1  |      | 0.05 | 0.01 | 4.72<br>0.0 | 900<br>EDT  |             |
| ARNOLD<br>NIXON                   | 0.53 |      |      | 0.14 |      | 0.13 | 0.04 |      |   | 0.11 | 0.05 | 0.06 |    |    |    |      | 0.01 |      |    |    |      | 0.10 |      | 0.11 | 0.15 | T    | 0.45 | 0.06 |      |      |      | 1.94<br>0.0 | 2000<br>EDT |             |
| BALTIMORE 4SW<br>HANSON           | 1.61 |      |      | 0.41 |      | 0.92 | 0.01 |      |   | 0.11 | 0.01 |      |    |    |    | 0.03 | 0.01 | 0.01 |    |    |      |      |      |      |      |      |      | 0.05 |      |      |      |             | 3.17<br>0.0 | 2400<br>EDT |
| PARKTON 5SW<br>KREINIK            | 0.30 |      |      | 0.59 |      | 1.30 | 0.33 |      |   | 0.03 | 1.62 |      |    |    |    |      | 1.45 |      |    |    |      | 0.01 | T    | 1.33 |      |      | 0.01 |      |      |      |      | 6.97<br>0.0 | 2200<br>EDT |             |
| OWINGS MILLS 2SE<br>SHARROW       | 0.99 |      |      | 0.66 | T    | 1.18 | T    |      |   | 0.06 |      |      |    |    |    | 0.03 | 0.26 |      |    |    |      | 0.01 |      | 1.62 |      |      | 0.18 | 0.06 |      |      |      | 5.05<br>0.0 | 2400<br>EDT |             |
| BALITMORE NWS<br>CUSTOM HOUSE     |      |      |      |      |      |      |      |      |   |      |      |      |    |    |    |      |      |      |    |    |      |      |      |      |      |      |      |      |      |      |      |             | 0.00<br>0.0 | 2400<br>EST |
| BALTIMORE 2SE<br>MANFRE           | 0.85 |      |      | 0.81 |      | 0.35 | 0.05 |      |   | 0.03 | 0.08 |      |    |    |    |      | 0.16 |      |    |    | 0.15 | 0.85 |      | 0.95 |      |      | 0.01 |      |      |      |      | 4.29<br>0.0 | 1800<br>EDT |             |
| MANCHESTER 1SW<br>CLOSE           | 0.18 |      |      | 1.78 | 0.01 | 1.45 | 0.55 |      |   |      | 1.45 |      |    |    |    | 0.07 | 2.47 |      |    |    | 0.01 |      | T    | 0.12 |      |      |      | T    |      |      |      | 8.09<br>0.0 | 2100<br>EDT |             |
| MILLERS 4NE<br>MILLER             | 0.07 | 0.03 |      | 0.65 | 0.12 | 0.93 | 1.28 |      |   | 0.02 | 0.14 |      |    |    |    | 0.02 |      | 1.86 |    |    | 0.20 | 0.41 | 0.02 | T    |      |      | T    | 0.05 |      |      |      | 5.80<br>0.0 | 1800<br>EDT |             |
| FINKSBURG<br>MULLER               | 0.15 |      |      | 0.60 |      | 1.11 | 0.52 |      |   | T    | 1.08 |      |    |    |    | T    | 0.16 |      |    |    |      | 0.20 | T    | 0.28 |      |      | T    | 0.02 |      |      |      | 4.12<br>0.0 | 2200<br>EDT |             |
| WALDORF<br>KEAVEY                 | 0.02 |      |      | 0.32 |      | 0.29 | 0.29 |      |   | 0.06 | 0.63 |      |    |    |    |      |      | 0.03 |    |    | 0.15 |      |      | 0.23 |      |      | 0.32 | 0.15 | 0.02 |      |      | 2.51<br>0.0 | 1800<br>EDT |             |
| EAGLE ROCK<br>HARVEY              | 0.08 | 0.18 |      | T    |      | 0.27 | 0.14 |      |   |      |      |      |    |    |    | 0.14 | 0.71 | 0.25 |    |    |      | 0.03 | 0.06 |      | T    | 0.21 |      | T    | 0.03 |      |      | 2.10<br>0.0 | 1300<br>EST |             |
| KINGSVILLE 1S<br>SCHLOSSER        |      |      |      |      |      | 0.65 |      |      |   |      |      |      |    |    |    |      |      |      |    |    |      |      |      |      |      |      |      |      |      |      |      |             | M<br>0.0    | 2000<br>EDT |
| POTOMAC 1N<br>COHEN               | 0.45 |      |      | 0.34 |      | 1.00 | 0.16 |      |   | 0.15 | 0.10 |      |    |    |    |      | 0.05 |      |    |    |      |      |      | T    |      |      | T    | 0.05 |      |      |      |             | 2.30<br>0.0 | 2100<br>EDT |
| OLNEY<br>HETZEL                   | 0.37 | T    |      | 0.50 | T    | 0.72 | 0.07 |      |   | 0.11 | 0.03 |      |    |    |    |      | 0.04 |      |    |    |      |      |      | T    |      |      | 0.04 |      | 0.02 |      |      |             | 1.90<br>0.0 | 2400<br>EDT |
| CLARKSBURG 2ENE<br>HOLDEN         | 0.06 |      |      | 0.05 |      | 0.71 | 0.59 |      |   | 0.16 | 0.19 |      |    |    |    | T    | 0.21 |      |    |    |      |      | T    | 0.01 |      |      | 0.02 | 0.03 | 0.43 |      |      |             | 2.46<br>0.0 | 2400<br>EST |
| GLENMONT 1NNE<br>ROSSEN           | 0.27 |      |      | 0.84 |      | 0.51 | 0.70 |      |   | 0.12 | 0.03 |      |    |    |    |      | 0.02 |      |    |    |      | T    | T    |      | 0.03 |      | 0.04 | T    |      |      |      |             | 2.56<br>0.0 | 2400<br>EST |
| MONT COLLEGE<br>ROCKVILLE/ROSSEN  | 0.30 |      |      | 0.76 |      | 1.16 | 1.08 |      |   | 0.11 | 0.18 |      |    |    |    |      | 0.06 |      |    |    |      |      | T    |      | 0.03 |      | 0.05 | T    | 0.01 |      |      |             | 3.74<br>0.0 | 2400<br>EST |
| GAITHERSBURG 2WNW<br>SHAW         | 0.24 |      |      | 0.17 |      | 0.30 | 0.15 |      |   | 0.16 | 0.05 |      |    |    |    |      | 0.11 |      |    |    |      |      |      | 0.01 |      | 0.03 |      | 0.03 |      | 0.01 |      |             | 1.23<br>0.0 | 2400<br>EDT |
| GERMANTOWN 1.5W<br>TAYLOR         | 0.45 |      |      | 0.04 |      | 0.36 | 0.23 |      |   | 0.13 | 0.07 |      |    |    |    |      | 0.17 |      |    |    |      |      |      | 0.01 | 0.01 |      | 0.05 |      | 0.01 |      |      |             | 1.53<br>0.0 | 2400<br>EDT |
| DAWSONVILLE<br>WINDOLPH           | 0.93 |      |      | 0.05 |      | 0.60 | 0.36 |      |   | 0.58 | T    |      |    |    |    |      | 0.14 |      |    |    |      |      |      | 0.03 |      | 0.05 |      | 0.03 |      |      |      |             | 2.77<br>0.0 | 2359<br>EST |
| ROCKVILLE 1NE<br>WASH GAS & LIGHT | 0.37 |      |      | 0.88 |      | 1.05 | 0.57 |      |   | 0.10 | 0.15 |      |    |    |    |      | 0.06 |      |    |    |      | T    | T    |      | 0.01 |      | 0.05 |      | T    |      |      |             | 3.24<br>0.0 | 2400<br>EDT |
| BEAR 6WSW, DE<br>GALLAHER         | 0.01 |      |      | 0.13 | T    | 0.23 | 0.21 |      |   | 0.01 | 0.98 |      |    |    |    | 0.43 | 0.44 | T    |    |    |      | 0.01 |      |      | 0.28 |      | T    | 1.14 |      |      |      | 3.87<br>0.0 | 2400<br>EDT |             |
| WILMINGTON, DE<br>NWS ASOS        | 0.03 |      |      | 0.09 | T    | 0.28 | 0.17 |      |   | T    | 0.20 |      |    |    |    | 1.36 | 0.49 |      |    |    |      | 0.01 | T    | T    | 0.02 |      | 0.16 | 0.08 |      |      |      | 2.89<br>0.0 | 2400<br>EST |             |

**ACON MD \ DE  
JULY 1995 DAILY PRECIPITATION**

| STATION                 | 1    | 2    | 3    | 4    | 5 | 6    | 7    | 8    | 9 | 10   | 11   | 12 | 13 | 14 | 15 | 16   | 17   | 18   | 19   | 20 | 21   | 22   | 23   | 24   | 25 | 26 | 27   | 28   | 29   | 30   | 31 | TOTAL       | OBS TIME    |
|-------------------------|------|------|------|------|---|------|------|------|---|------|------|----|----|----|----|------|------|------|------|----|------|------|------|------|----|----|------|------|------|------|----|-------------|-------------|
| ANDREWS AFB<br>USAF     |      |      |      |      |   |      |      |      |   |      |      |    |    |    |    |      |      |      |      |    |      |      |      |      |    |    |      |      |      |      |    | 4.11<br>0.0 | 2400<br>EST |
| CLINTON 3E<br>BUBB      | 0.04 |      |      | 0.89 |   | 0.80 | 0.71 | 0.08 |   | 0.18 | 0.45 |    |    |    |    |      |      |      |      |    | 0.78 |      |      | 0.06 |    |    | 0.24 | 0.33 | 0.32 |      |    | 4.88<br>0.0 | 2400<br>EDT |
| SOUTH BOWIE<br>HUDELSON | 0.28 |      |      | 1.37 |   | 0.84 | 0.28 |      |   | 0.15 | 0.10 |    |    |    |    |      | T    |      |      |    | 0.12 |      |      |      |    |    | 0.17 |      |      | 0.61 |    | 3.92<br>0.0 | 2400<br>EDT |
| HOLLYWOOD<br>ABELL      | 0.75 | 0.47 |      | 0.06 |   | 0.18 | T    | 0.01 |   | 0.14 | 0.05 |    |    |    |    |      | 0.52 |      |      |    | 1.45 |      |      | 0.25 |    |    | 0.27 | 0.03 |      |      |    | 4.18<br>0.0 | 2359<br>EDT |
| HAGERSTOWN 1E<br>KEEFER | 0.54 |      |      | T    |   | 0.80 |      |      |   | 0.30 | 0.10 |    |    |    |    | 0.48 | 0.48 |      |      |    |      |      | 0.01 | 0.41 |    |    |      | 0.82 | 0.01 |      |    | 3.95<br>0.0 | 2400<br>EDT |
| WHALEYSVILLE<br>BOGGS   |      | 0.25 | 0.10 |      | T |      |      | T    |   |      | 0.20 |    |    |    |    |      | 0.15 | 0.20 | 0.10 |    |      | 0.15 | 0.10 |      | T  |    |      |      |      |      |    | 1.25<br>0.0 | 730<br>EDT  |
| WASH DULLES<br>NWS      | 0.31 |      |      | 0.52 |   | 0.64 | 0.82 |      |   | 1.63 | 0.01 |    |    |    |    | 0.03 | 0.07 |      |      |    | 0.05 |      | T    | 0.11 |    |    | 0.05 | T    | T    |      |    | 4.24<br>0.0 | 2400<br>EST |
| WASH NATIONAL<br>NWS    | 0.33 |      |      | 0.04 |   | 1.03 | 0.11 |      |   | 0.36 | T    |    |    |    |    |      | 0.02 | 0.05 |      |    | 1.60 | 0.14 |      | 0.09 |    |    | 0.26 | T    |      |      |    | 4.03<br>0.0 | 2400<br>EST |
| CAPITOL HILL<br>GAJARY  | 0.39 |      |      | 0.22 |   | 0.87 | 0.07 |      |   | 0.49 | 0.01 |    |    |    |    |      | 0.01 |      |      |    | 2.09 | 0.35 |      | 0.14 |    |    | 0.29 |      |      |      |    | 4.93<br>0.0 | 2400<br>EST |

**JUNE 1995**

|                      |  |      |      |      |  |   |      |      |  |   |      |      |   |   |  |  |  |  |  |  |  |      |      |      |      |      |      |   |      |   |   |   |      |      |     |     |
|----------------------|--|------|------|------|--|---|------|------|--|---|------|------|---|---|--|--|--|--|--|--|--|------|------|------|------|------|------|---|------|---|---|---|------|------|-----|-----|
| ARNOLD               |  |      | 0.53 | 0.12 |  |   | 0.18 | 0.02 |  |   | 0.23 | 0.55 | T | T |  |  |  |  |  |  |  |      | T    | 0.57 | 1.46 |      | 0.06 | T | 0.03 |   | T | - | 3.75 | 2000 |     |     |
| NIXON                |  |      |      |      |  |   |      |      |  |   |      |      |   |   |  |  |  |  |  |  |  |      |      |      |      |      |      |   |      |   |   |   |      | -    | 0.0 | EDT |
| WASH NATIONAL<br>NWS |  | 0.05 | 0.18 |      |  | T | 0.03 | T    |  | T | 0.45 | 0.37 | T | T |  |  |  |  |  |  |  | 0.07 | 0.31 | 0.85 | 0.03 | 0.06 | 0.02 | T |      | T |   | - | 2.42 | 2400 |     |     |
|                      |  |      |      |      |  |   |      |      |  |   |      |      |   |   |  |  |  |  |  |  |  |      |      |      |      |      |      |   |      |   |   |   | -    | 0.0  | EST |     |